

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

U. S. DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service - Cotton Program
Memphis, Tennessee

UNITED STATES

Cotton Quality Report



Classings Through March 29, 2007

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through March 29, 2007

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	3	14	382	2,855	10,042	28,403	60,996	117,858	220,553
	3	-	42	568	3,871	14,235	46,117	117,549	252,234	434,616
	4	-	26	175	605	1,432	3,366	8,205	17,545	31,354
	5	-	2	8	41	141	204	497	690	1,583
	6	-	-	-	1	6	15	8	32	62
	7	-	-	-	-	-	-	-	-	-
TOTAL----		3	84	1,133	7,373	25,856	78,105	187,255	388,359	688,168
31	1-2	7	9	53	551	4,595	21,486	50,329	70,917	147,947
	3	1	45	393	3,822	32,950	193,126	628,206	1,248,382	2,106,925
	4	-	45	264	1,579	7,850	36,108	120,779	313,535	480,160
	5	-	20	86	161	1,175	4,947	13,530	18,693	38,612
	6	-	-	3	7	37	404	1,397	1,498	3,346
	7	-	-	-	2	-	15	62	50	129
TOTAL----		8	119	799	6,122	46,607	256,086	814,303	1,653,075	2,777,119
41	1-2	1	1	7	78	797	3,201	6,663	7,837	18,585
	3	-	9	97	1,455	13,836	91,250	341,925	741,711	1,190,283
	4	-	26	208	1,760	8,896	51,102	205,056	586,658	853,706
	5	-	33	102	637	2,556	11,746	32,404	70,775	118,253
	6	-	15	36	171	574	2,056	4,206	6,688	13,746
	7	-	-	8	18	96	279	520	625	1,546
TOTAL----		1	84	458	4,119	26,755	159,634	590,774	1,414,294	2,196,119
51	1-2	-	-	-	11	66	153	300	363	893
	3	-	-	6	70	867	4,308	12,860	25,251	43,362
	4	-	-	8	138	1,116	4,849	14,716	35,009	55,836
	5	-	-	11	60	392	1,992	5,232	9,987	17,674
	6	-	-	3	12	127	512	975	1,746	3,375
	7	-	-	2	7	55	149	108	191	512
TOTAL----		-	-	30	298	2,623	11,963	34,191	72,547	121,652
61	1-2	-	-	-	-	1	1	5	4	11
	3	-	-	-	6	16	81	133	213	449
	4	-	-	1	8	51	83	177	284	604
	5	-	-	-	11	31	37	59	135	273
	6	-	-	-	9	28	13	22	43	115
	7	-	-	-	-	1	1	3	3	8
TOTAL----		-	-	1	34	128	216	399	682	1,460
71	1-2	-	-	-	-	2	-	-	1	3
	3	-	-	-	-	-	3	2	6	11
	4	-	-	1	-	1	2	2	4	10
	5	-	-	-	-	1	-	1	2	4
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	1	-	1
TOTAL----		-	-	1	-	4	5	6	13	29
12 & 22	1-2	-	21	394	1,520	3,193	4,378	4,072	4,460	18,038
	3	2	185	1,048	2,586	5,680	8,281	9,788	12,646	40,216
	4	1	62	311	575	1,203	1,696	2,194	2,942	8,984
	5	-	14	51	86	223	456	373	310	1,513
	6	-	1	-	8	15	61	24	20	129
	7	-	-	-	-	-	5	-	-	5
TOTAL----		3	283	1,804	4,775	10,314	14,877	16,451	20,378	68,885
32	1-2	-	2	21	158	501	1,055	1,053	964	3,754
	3	6	95	381	1,468	6,493	16,488	25,117	31,866	81,914
	4	2	74	357	751	2,974	8,497	15,349	22,361	50,365
	5	-	41	164	323	582	1,246	1,788	2,508	6,652
	6	-	13	46	87	108	266	378	272	1,170
	7	-	7	5	17	35	57	56	25	202
TOTAL----		8	232	974	2,804	10,693	27,609	43,741	57,996	144,057
42	1-2	-	2	7	26	121	288	296	248	988
	3	-	9	85	530	3,033	9,585	17,523	25,197	55,962
	4	-	21	152	834	3,621	13,831	28,612	48,856	95,927
	5	-	23	109	376	1,137	3,526	6,766	12,588	24,525
	6	-	12	52	130	255	585	916	1,192	3,142
	7	-	2	14	54	101	212	248	153	784
TOTAL----		-	69	419	1,950	8,268	28,027	54,361	88,234	181,328
52	1-2	-	-	1	-	8	6	16	11	42
	3	-	-	7	23	78	345	747	1,202	2,402
	4	-	3	17	58	218	1,015	2,227	3,784	7,322
	5	1	19	35	54	131	488	1,358	2,217	4,303
	6	3	35	21	24	54	127	246	419	929
	7	3	38	5	16	37	66	74	89	328
TOTAL----		7	95	86	175	526	2,047	4,668	7,722	15,326

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through March 29, 2007

QUALITY	LEAF	STAPLE								
COLOR		26 & - Bales	28 Bales	29 Bales	30 Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & - Bales
62	1-2	-	-	-	-	1	2	1	1	5
	3	-	-	-	-	2	7	17	29	55
	4	-	-	-	-	2	10	25	75	112
	5	-	-	1	-	1	1	13	58	74
	6	-	3	1	-	-	1	8	13	26
	7	3	3	2	-	7	5	1	2	23
TOTAL----		3	6	4	-	13	26	65	178	295
13 & 23	1-2	-	3	20	77	153	225	252	409	1,139
	3	1	17	71	165	449	690	840	1,190	3,423
	4	-	8	17	56	148	182	184	211	806
	5	-	1	2	16	48	72	49	26	214
	6	-	-	1	2	28	12	8	5	56
	7	-	-	-	-	-	5	-	-	5
TOTAL----		1	29	111	316	826	1,186	1,333	1,841	5,643
33	1-2	-	2	10	29	84	126	222	302	775
	3	2	55	107	252	719	1,419	2,548	4,414	9,516
	4	-	48	128	147	396	738	1,111	1,848	4,416
	5	1	25	110	86	103	212	290	305	1,132
	6	1	13	53	43	31	54	60	51	306
	7	-	1	5	13	19	13	10	5	66
TOTAL----		4	144	413	570	1,352	2,562	4,241	6,925	16,211
43	1-2	-	-	7	6	21	37	82	131	284
	3	-	9	21	55	385	1,525	3,734	7,097	12,826
	4	-	3	28	112	527	1,198	2,597	5,677	10,142
	5	-	36	70	70	153	323	571	807	2,030
	6	-	37	79	79	70	166	142	151	724
	7	-	13	31	44	22	47	45	39	241
TOTAL----		-	98	236	366	1,178	3,296	7,171	13,902	26,247
53	1-2	-	-	-	-	3	2	1	5	11
	3	-	-	1	4	43	121	318	613	1,100
	4	-	-	2	6	59	214	482	1,167	1,930
	5	-	1	1	11	38	68	210	410	739
	6	-	1	1	2	11	27	62	107	211
	7	-	1	2	7	5	21	25	13	74
TOTAL----		-	3	7	30	159	453	1,098	2,315	4,065
63	1-2	-	-	-	-	-	-	-	1	1
	3	-	-	-	-	-	3	7	7	17
	4	-	-	-	-	1	3	10	45	59
	5	-	-	-	-	-	-	5	16	21
	6	-	1	-	-	1	3	3	9	17
	7	-	-	-	-	-	2	-	2	4
TOTAL----		-	1	-	-	2	11	25	80	119
24-54	1-7	-	8	47	138	448	1,054	2,199	3,957	7,851
25-35	1-7	-	-	-	-	2	1	-	4	7
81-85 1/	1-7	1	11	4	9	35	112	272	516	960
All Colors	8 2/	3	16	16	29	196	351	486	340	1,437
TOTAL, ALL----		42	1,282	6,543	29,108	135,985	587,621	1,763,039	3,733,358	6,256,978

[illegible]

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through March 29, 2007

QUALITY	LEAF	STAPLE						
		35	36	37	38	39	40 &+	35 to 40+
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	1	-	1	-	-	-	2
	3	30	20	15	2	2	-	69
	4	258	495	503	82	3	-	1,341
	5	111	245	205	33	-	-	594
	6	21	15	4	-	-	-	40
	7	26	4	2	1	-	-	33
TOTAL----		447	779	730	118	5	-	2,079
13 & 23	1-2	540	552	455	56	4	-	1,607
	3	1,667	1,782	1,160	202	22	1	4,834
	4	312	295	141	54	10	-	812
	5	42	26	16	2	-	-	86
	6	2	1	-	-	-	-	3
	7	-	-	-	-	-	-	-
TOTAL----		2,563	2,656	1,772	314	36	1	7,342
33	1-2	330	382	393	66	16	25	1,212
	3	6,185	6,243	4,878	938	232	82	18,558
	4	2,943	3,176	2,312	498	138	28	9,095
	5	477	406	308	60	12	2	1,265
	6	60	44	35	11	2	-	152
	7	3	-	5	-	-	-	8
TOTAL----		9,998	10,251	7,931	1,573	400	137	30,290
43	1-2	117	68	42	5	3	4	239
	3	7,534	5,611	2,798	431	140	48	16,562
	4	8,428	8,951	5,731	875	175	92	24,252
	5	1,136	1,313	936	170	32	58	3,645
	6	176	211	128	26	3	17	561
	7	45	40	12	1	-	4	102
TOTAL----		17,436	16,194	9,647	1,508	353	223	45,361
53	1-2	7	1	8	-	-	-	16
	3	726	613	263	22	5	2	1,631
	4	1,931	1,968	1,105	171	26	1	5,202
	5	502	722	524	92	12	-	1,852
	6	106	112	99	3	3	1	324
	7	11	33	26	3	-	-	73
TOTAL----		3,283	3,449	2,025	291	46	4	9,098
63	1-2	1	2	2	-	-	-	5
	3	14	21	9	1	1	1	47
	4	96	130	203	52	-	-	481
	5	36	59	112	11	-	-	218
	6	10	2	9	1	-	-	22
	7	1	1	9	-	-	-	11
TOTAL----		158	215	344	65	1	1	784
24-54	1-7	4,223	3,640	2,281	417	65	47	10,673
25-35	1-7	19	21	1	1	-	-	42
81-85 1/	1-7	584	371	216	44	2	1	1,218
All Colors	8 2/	224	247	210	50	1	-	732
TOTAL, ALL-----		5,178,695	4,622,426	3,117,012	744,474	244,609	84,922	13,992,138
EXTRANEEOUS MATTER		Average Staple -----						
		Percent Tenderable -----						
Bark - Level 1		1,170,268						35.2
Bark - Level 2		127						70.5
Grass - Level 1		98,305						
Grass - Level 2		1,187						
Prep - Level 1		25,898						
Prep - Level 2		247						
Other - Level 1		8,692						
Other - Level 2		33						

20,249,116 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf.

Table 2. -- **United States**: Percent distribution of color, leaf and staple for upland cotton classed:
March 29, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	*	*	*	*	*	0.1	0.3	0.6	1.0	1.5	1.4	0.4	0.2	*	5.6
	3	-	*	*	*	0.1	0.2	0.6	1.2	2.2	3.0	3.4	1.0	0.3	0.1	12.0
	4	-	*	*	*	*	*	*	0.1	0.2	0.3	0.3	0.1	*	*	1.1
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
TOTAL----		*	*	*	*	0.1	0.4	0.9	1.9	3.4	4.8	5.1	1.4	0.4	0.1	18.7
31	1-2	*	*	*	*	*	0.1	0.2	0.4	0.4	0.4	0.3	0.1	0.1	*	2.2
	3	-	*	*	*	0.2	1.0	3.1	6.2	6.8	4.9	3.2	0.9	0.4	0.2	26.8
	4	-	*	*	*	*	0.2	0.6	1.5	2.8	2.8	1.9	0.5	0.1	*	10.5
	5	-	*	*	*	*	*	0.1	0.1	0.1	0.2	0.2	*	*	*	0.8
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	-	*	*	*	*	*	*	*	*	-	*
TOTAL----		*	*	*	*	0.2	1.3	4.0	8.2	10.1	8.3	5.6	1.6	0.6	0.3	40.2
41	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	3	-	*	*	*	0.1	0.5	1.7	3.7	4.2	2.4	0.8	0.1	*	*	13.4
	4	-	*	*	*	*	0.3	1.0	2.9	5.3	5.0	2.4	0.3	*	*	17.3
	5	-	*	*	*	*	0.1	0.2	0.3	0.6	0.8	0.5	0.1	*	*	2.7
	6	-	*	*	*	*	*	*	*	*	0.1	0.1	*	*	*	0.2
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		*	*	*	*	0.1	0.8	2.9	7.0	10.2	8.2	3.9	0.5	0.1	*	33.8
51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.5
	4	-	-	*	*	*	*	0.1	0.2	0.3	0.3	0.2	*	*	*	1.1
	5	-	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	*	*	*	0.1	0.2	0.4	0.6	0.5	0.3	*	*	*	2.0
61	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	*	-	*
TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	*	-	*	-	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	*	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	*	-	*	*	*	*	*	*	*	*	-	-	*
12 & 22	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	3	*	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.4
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
TOTAL----		*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	0.7
32	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	0.1	0.1	0.2	0.2	0.1	0.1	*	*	*	0.8
	4	*	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.6
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL----		*	*	*	*	*	0.1	0.2	0.3	0.3	0.2	0.1	*	*	*	1.5
42	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.5
	4	-	*	*	*	*	0.1	0.1	0.2	0.3	0.3	0.1	*	*	*	1.2
	5	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	*	*	*	*	0.1	0.3	0.4	0.5	0.4	0.2	*	*	*	2.1
52	1-2	-	-	*	-	*	*	*	*	*	*	*	-	*	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL----		*	*	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.2

* Less than 0.05 percent.

Table 2. -- **United States**: Percent distribution of color, leaf and staple for upland cotton classed:
March 29, 2007

QUALITY	LEAF	STAPLE															
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL	
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	*	*	*	*	*	-	*	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	5	-	-	*	-	*	*	*	*	*	*	*	*	*	-	*	
	6	-	*	*	-	-	*	*	*	*	*	*	-	-	-	*	
	7	*	*	*	-	*	*	*	*	*	*	*	*	-	-	-	*
TOTAL----		*	*	*	-	*	*	*	*	*	*	*	*	*	-	*	
13 & 23	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*	
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*	
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*	
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	-	*	-	-	-	*	-	-	-	-	*	
TOTAL----		*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
33	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*	
	7	-	*	*	*	*	*	*	*	*	-	*	-	-	-	*	
TOTAL----		*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	
43	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*	
TOTAL----		-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.4	
53	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*	
TOTAL----		-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
63	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*	
	6	-	*	-	-	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	-	*	-	*	*	*	*	*	-	-	*	
TOTAL----		-	*	-	-	*	*	*	*	*	*	*	*	*	*	*	
24-54	1-7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
25-35	1-7	-	-	-	-	*	*	-	*	*	*	*	*	-	-	*	
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
TOTAL, ALL-----		*	*	*	0.1	0.7	2.9	8.7	18.4	25.6	22.8	15.4	3.7	1.2	0.4	100.0	
EXTRANEEOUS MATTER																	
Bark - Level 1		5.8															
Bark - Level 2		*															
Grass - Level 1		0.5															
Grass - Level 2		*															
Prep - Level 1		0.1															
Prep - Level 2		*															
Other - Level 1		*															
Other - Level 1		*															

20,249,116 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 3. -- **Alabama**: Percent distribution of color, leaf and staple for upland cotton classed:
March 29, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	0.1	0.2	0.3	0.3	0.1	*	*	*	*	-	1.0
	3	-	-	*	*	0.1	0.4	0.6	0.9	0.7	0.2	*	*	*	-	3.1
	4	-	-	-	*	*	*	*	*	0.1	*	*	*	-	-	0.2
	5	-	-	-	*	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	*	0.2	0.6	0.9	1.3	0.9	0.3	0.1	*	*	-	4.3
31	1-2	-	-	*	*	0.1	0.4	0.7	0.6	0.2	*	*	-	-	-	1.9
	3	-	-	*	0.1	0.9	3.7	8.4	11.7	7.8	2.4	0.5	*	*	-	35.6
	4	-	*	*	*	0.2	0.7	1.6	2.7	2.6	1.1	0.3	*	*	-	9.3
	5	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
TOTAL----		-	*	*	0.1	1.2	4.8	10.8	15.1	10.7	3.6	0.8	*	*	*	47.2
41	1-2	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	-	0.3
	3	-	*	*	0.1	0.6	2.4	5.7	7.3	4.4	1.3	0.2	*	-	-	22.0
	4	-	-	*	0.1	0.4	1.1	2.8	4.3	3.6	1.5	0.5	*	*	-	14.3
	5	-	-	*	*	0.1	0.2	0.3	0.3	0.3	0.2	0.1	*	*	-	1.5
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.2
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	*	*	0.2	1.0	3.7	8.9	12.1	8.4	3.1	0.8	0.1	*	-	38.3
51	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	*	*	*	0.1	0.2	0.1	0.1	*	*	*	*	-	0.6
	4	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	*	0.7
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	*	*	0.1	0.2	0.4	0.4	0.2	0.1	*	*	-	-	1.4
61	1-2	-	-	-	-	-	*	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	*	-	-	-	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	*	-	-	*	*	*	*	*	-	-	-	-	*
12 & 22	1-2	-	-	*	*	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	*	*	*	0.1	0.1	0.1	*	*	*	*	-	-	-	0.3
	4	-	-	*	*	*	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	*	*	*	0.1	0.2	0.1	*	*	*	*	-	-	-	0.5
32	1-2	-	-	*	*	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	*	0.1	0.4	0.7	0.6	0.4	0.2	*	*	*	*	-	2.4
	4	-	*	*	*	0.2	0.4	0.4	0.2	0.1	*	*	*	-	-	1.4
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	*	*	0.1	0.6	1.2	1.0	0.6	0.3	0.1	*	*	*	-	4.0
42	1-2	-	-	*	*	*	*	*	*	*	-	-	-	-	-	*
	3	-	*	*	*	0.1	0.3	0.4	0.3	0.1	*	*	*	-	-	1.4
	4	-	*	*	*	0.2	0.3	0.4	0.4	0.2	0.1	*	*	-	-	1.7
	5	-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	-	0.3
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
TOTAL----		-	*	*	0.1	0.4	0.7	0.9	0.7	0.4	0.1	*	*	*	-	3.3
52	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1

* Less than 0.05 percent.

Table 3. -- **Alabama** : Percent distribution of color, leaf and staple for upland cotton classed:
March 29, 2007

QUALITY		LEAF	STAPLE														TOTAL	
COLOR			26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
			Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	*	*	*	-	-	-	-	-	-		
13 & 23	1-2	-	-	*	*	*	*	*	-	*	-	-	-	-	-	*		
	3	-	-	*	*	*	*	*	*	*	*	-	-	-	-	*		
	4	-	-	-	*	*	*	*	-	*	*	-	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	*	*	*	*	*	*	*	*	-	-	-	-	*		
33	1-2	-	-	*	*	*	*	*	*	*	-	-	-	-	-	*		
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.2		
	4	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1		
	5	-	-	-	*	-	*	*	*	*	*	*	-	-	-	*		
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	*	*	0.1			*	*	*	*	*	*	-	0.3		
43	1-2	-	-	*	-	*	*	*	*	*	-	-	-	-	-	*		
	3	-	*	*	*	*	*	*	*	*	*	*	-	-	-	0.2		
	4	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.2		
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*		
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*		
	7	-	-	-	-	*	-	*	*	*	*	-	-	-	-	*		
TOTAL----		-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	-	-	-	0.4		
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*		
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*		
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*		
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*		
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1		
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	*	-	-	-	*	-	*	-	-	-	-	-	*		
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	*	*	*	-	-	-	-	-	*		
24-54	1-7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	*	-	*	*	*	*	*	*	*	-	-	-	*		
All Colors	8 2/	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*		
TOTAL, ALL----		-	*	0.1	0.6	3.8	11.6	23.2	30.4	21.1	7.4	1.8	0.1	*	*	100.0		
EXTRANEEOUS MATTER																Average Staple	33.8	
																Percent Tenderable	61.6	
Bark - Level 1		1.3																
Bark - Level 2		"																
Grass - Level 1		0.7																
Grass - Level 2		"																
Prep - Level 1		0.2																
Prep - Level 2		*																
Other - Level 1		*																
Other - Level 1		-																

668,672 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 4. -- **Arizona**: Percent distribution of color, leaf and staple for upland cotton classed:
March 29, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.2	1.8	6.5	11.6	11.5	2.7	0.6	0.1	34.9
	3	-	-	-	-	*	*	0.1	0.6	2.4	5.5	7.5	2.3	0.7	0.1	19.3
	4	-	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	0.8
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.3	2.5	9.0	17.3	19.3	5.2	1.3	0.1	55.0
31	1-2	-	-	-	-	*	*	0.1	0.7	2.9	4.7	4.0	0.9	0.2	*	13.6
	3	-	-	-	-	*	*	0.1	0.7	3.0	6.3	7.0	2.3	0.6	0.1	20.1
	4	-	-	-	-	*	*	0.1	0.4	0.6	0.8	0.9	0.4	0.1	*	3.5
	5	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.3	1.9	6.5	11.8	12.0	3.7	1.0	0.1	37.5
41	1-2	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	0.3
	3	-	-	-	-	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	0.8
	4	-	-	-	-	*	*	0.1	0.4	0.5	0.3	0.2	*	*	*	1.6
	5	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	*	0.4
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	0.2	0.7	0.9	0.7	0.4	0.2	*	*	3.2
51	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
12 & 22	1-2	-	-	-	-	-	*	*	0.1	0.4	0.3	0.1	*	-	-	1.0
	3	-	-	-	-	-	*	*	*	0.2	0.3	0.1	*	*	-	0.6
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	0.2
	5	-	-	-	-	*	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	0.2	0.7	0.7	0.2	*	*	-	1.8
32	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	0.3
	4	-	-	-	-	*	*	*	0.1	0.2	0.1	0.1	*	*	-	0.5
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	*	*	*	0.2	0.3	0.3	0.2	*	*	*	1.0
42	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.6
	5	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.3	0.3	0.2	0.1	*	*	-	1.0
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1

* Less than 0.05 percent.

Table 4. -- **Arizona**: Percent distribution of color, leaf and staple for upland cotton classed:
March 29, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
13 & 23	1-2	-	-	-	-	-	-	*	*	*	*	*	-	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
33	1-2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	*	*	-	*
	6	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
43	1-2	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
63	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	*	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
24-54	1-7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL, ALL-----		-	-	-	*	*	0.2	1.1	5.9	17.8	31.1	32.2	9.1	2.4	0.3	100.0
EXTRANEIOUS MATTER																
Bark - Level 1		4.6														
Bark - Level 2		*														
Grass - Level 1		0.2														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		0.3														
Other - Level 1		*														

521,437 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 5. -- **Arkansas**: Percent distribution of color, leaf and staple for upland cotton classed:
March 29, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.4
	3	-	-	-	*	*	*	0.1	0.3	0.6	0.4	0.2	*	*	-	1.6
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	*	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	0.1	0.4	0.8	0.6	0.2	*	*	-	2.1
31	1-2	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	-	-	0.8
	3	-	-	-	*	*	0.1	0.8	4.6	9.7	7.6	2.7	0.1	*	*	25.7
	4	-	-	-	*	*	*	0.2	1.3	4.9	5.6	2.3	0.1	*	*	14.4
	5	-	-	-	*	-	*	*	*	0.1	0.1	0.1	*	*	-	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
TOTAL----		-	-	-	*	*	0.2	1.1	6.2	15.0	13.5	5.0	0.2	*	*	41.3
41	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	*	*	0.1	0.7	3.1	5.9	4.2	1.2	*	*	-	15.3
	4	-	-	-	*	*	0.1	0.6	3.4	11.3	11.6	3.9	0.2	*	*	31.3
	5	-	-	-	-	*	*	0.1	0.4	1.0	1.4	0.7	0.1	*	*	3.6
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	*	*	0.2	1.5	7.0	18.3	17.3	5.8	0.3	*	*	50.5
51	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	-	0.4
	4	-	-	-	-	*	*	*	0.1	0.5	0.6	0.2	*	-	-	1.5
	5	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	*	0.4
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	*	-	-	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.3	0.8	0.9	0.3	*	*	*	2.4
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
32	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	-	-	0.4
	4	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	-	0.4
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	-	0.8
42	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	*	-	0.5
	4	-	-	-	*	*	0.1	0.1	0.3	0.4	0.3	0.1	*	*	-	1.4
	5	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	*	*	0.1	0.2	0.5	0.7	0.5	0.2	*	*	*	2.3
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	0.1	*	*	*	*	*	*	0.2

* Less than 0.05 percent.

Table 5. — **Arkansas**: Percent distribution of color, leaf and staple for upland cotton classed:
March 29, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	-
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	-
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	-
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	-
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	-	-	-	-
33	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	-
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	-
	5	-	-	-	*	-	-	-	*	*	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
43	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	*	*	*	*	*	*	0.1	*	*	-	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	-
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	-	0.3
53	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	-
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	-
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	-
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-
	3	-	-	*	-	-	-	*	-	*	*	*	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	-
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	-
All Colors	8 2/	-	-	-	-	-	*	*	*	*	*	*	-	-	-	-
TOTAL, ALL----		-	-	-	*	0.1	0.6	3.2	14.7	36.0	33.1	11.7	0.6	*	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.1														
Bark - Level 2		-														
Grass - Level 1		0.2														
Grass - Level 2		*														
Prep - Level 1		0.1														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 2		-														

2,417,026 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 6. -- **California**: Percent distribution of color, leaf and staple for upland cotton classed:
March 29, 2007

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.3	0.8	2.2	4.2	5.9	4.0	3.0	1.2	21.7
	3	-	-	-	-	*	*	0.1	0.3	0.8	2.7	6.1	3.0	1.8	1.2	15.9
	4	-	-	-	-	-	-	-	*	-	-	0.2	0.1	*	-	0.3
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.3	1.1	3.0	6.9	12.2	7.0	4.8	2.5	37.9
31	1-2	-	-	-	-	*	*	0.2	0.6	1.6	2.3	3.1	2.5	2.7	1.3	14.4
	3	-	-	-	-	*	*	0.1	0.4	1.3	4.5	10.0	7.6	6.6	4.2	34.6
	4	-	-	-	-	-	-	*	0.1	0.2	0.4	1.7	1.2	0.7	0.4	4.8
	5	-	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	0.3
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.3	1.1	3.0	7.3	15.0	11.4	10.1	5.9	54.2
41	1-2	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	3	-	-	-	-	-	*	*	0.1	0.2	0.4	0.5	0.6	0.6	0.3	2.6
	4	-	-	-	-	*	*	*	0.1	0.2	0.3	0.5	0.3	0.3	0.1	1.9
	5	-	-	-	-	-	-	*	*	0.1	0.1	0.3	0.1	0.1	*	0.8
	6	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.2
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	0.3	0.6	0.9	1.5	1.1	1.0	0.5	5.9	
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.2
61	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
32	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.2	0.1	0.5
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.2
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	0.1	0.2	0.2	0.2	0.2	0.9
42	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	0.1	*	0.2
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	0.1	*	0.1	0.1	0.1	0.1	0.5
52	1-2	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1

* Less than 0.05 percent.

Table 6. -- **California**: Percent distribution of color, leaf and staple for upland cotton classed:
March 29, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	-	*	*	-	*
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
33	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
43	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
53	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
63	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
24-54	1-7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
All Colors	8 2/	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL, ALL-----		-	-	-	-	*	0.1	0.7	2.5	6.7	15.4	29.1	20.0	16.4	9.2	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	0.9															
Bark - Level 2	*															
Grass - Level 1	0.2															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	-															
Other - Level 1	-															

779,987 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 7. -- *Florida*: Percent distribution of color, leaf and staple for upland cotton classed:
March 29, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.1	0.1	0.1	*	-	-	-	-	0.3
	3	-	-	-	-	*	*	0.2	0.6	0.7	0.4	0.1	-	-	-	2.1
	4	-	-	-	-	-	-	*	*	*	0.1	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.1	0.3	0.8	0.9	0.5	0.1	-	-	-	2.6
31	1-2	-	-	-	-	*	*	0.2	0.3	0.2	*	-	-	-	-	0.8
	3	-	-	-	-	*	0.3	3.0	12.7	17.4	5.9	1.2	*	-	-	40.4
	4	-	-	-	-	*	*	0.2	1.5	3.2	2.1	0.6	*	-	-	7.6
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.3	3.4	14.6	20.8	8.0	1.8	*	-	-	48.9
41	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	-	*	*	0.2	3.0	11.7	12.9	3.1	0.5	*	-	-	31.5
	4	-	-	-	-	*	*	0.7	3.5	6.9	2.7	0.5	*	-	-	14.4
	5	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	0.4
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.3	3.8	15.4	19.9	5.9	1.1	*	-	-	46.4
51	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	*	*	-	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	*	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	-	0.3
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
12 & 22	1-2	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
32	1-2	-	-	-	-	-	*	*	-	*	-	-	-	-	-	*
	3	-	-	-	-	*	0.1	0.1	0.1	0.1	*	*	-	-	-	0.4
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.1	0.1	0.1	0.1	*	*	*	-	-	0.5
42	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	-	-	-	0.5
	4	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	-	0.5
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.1	0.3	0.4	0.2	*	*	-	-	1.0
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*

* Less than 0.05 percent.

Table 7. — *Florida*: Percent distribution of color, leaf and staple for upland cotton classed:
March 29, 2007

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	*	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	-	-	*	*	*	*	*	*	-	-	-	0.1
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.2
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	*	*	0.1	0.8	7.7	31.4	42.2	14.7	3.0	0.1	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.9														
Bark - Level 2		-														
Grass - Level 1		0.4														
Grass - Level 2		-														
Prep - Level 1		0.1														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

148,120 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 8. -- **Georgia**: Percent distribution of color, leaf and staple for upland cotton classed:
March 29, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	-	0.3
	3	-	-	-	*	*	0.1	0.5	0.8	0.5	0.1	*	*	-	-	2.0
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.2	0.6	0.9	0.6	0.1	*	*	-	-	2.4
31	1-2	-	-	*	*	*	0.1	0.3	0.4	0.1	*	*	*	-	-	1.0
	3	-	-	*	*	0.3	1.7	7.1	14.8	11.4	3.5	0.6	*	*	-	39.4
	4	-	-	*	*	*	0.1	0.5	1.6	2.4	1.5	0.5	*	*	*	6.7
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	TOTAL----	-	-	*	*	0.3	2.0	7.9	16.8	14.0	5.0	1.1	*	*	*	47.2
41	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	*	*	0.2	1.1	5.0	10.4	8.4	2.5	0.4	*	*	*	28.0
	4	-	-	*	*	0.1	0.3	1.7	4.8	6.3	3.2	1.0	*	*	-	17.4
	5	-	-	-	*	*	*	0.1	0.3	0.4	0.3	0.2	*	*	-	1.3
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	*	*	0.2	1.5	6.8	15.5	15.1	6.0	1.7	0.1	*	*	46.9
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	*	-	-	0.9
	4	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	-	*	0.7
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	*	*	0.1	0.4	0.6	0.5	0.2	0.1	*	*	-	1.8
61	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	*	*	*	-	*	-	-	-	-	-	-	*
	7	-	-	-	*	*	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
32	1-2	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	-	0.4
	4	-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	*	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	-	0.5
42	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	-	0.3
	4	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	*	-	0.4
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	TOTAL----	-	-	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	-	0.8
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1

* Less than 0.05 percent.

Table 8. -- **Georgia**: Percent distribution of color, leaf and staple for upland cotton classed:
March 29, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
13 & 23	1-2	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	3	-	*	-	-	-	*	-	*	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	*	-	-	*	*	*	*	-	*	-	-	-	-	*
33	1-2	-	-	-	*	*	-	*	*	*	*	-	-	-	-	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	*	-	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	*	*	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
43	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	*	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	*	-	*	*	*	*	*	*	*	*	*	*	-	0.1
53	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
63	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	*	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
All Colors	8 2/	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
TOTAL, ALL-----		-	*	*	0.1	0.6	4.0	16.0	34.2	30.4	11.6	2.9	0.1	*	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	0.7															
Bark - Level 2	*															
Grass - Level 1	0.4															
Grass - Level 2	*															
Prep - Level 1	0.1															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	-															

2,284,280 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 9. — **Kansas**: Percent distribution of color, leaf and staple for upland cotton classed:
March 29, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	0.1	0.5	0.4	0.2	0.1	*	*	-	-	1.4
	3	-	*	*	*	0.2	0.4	1.2	1.8	2.5	1.0	0.4	0.1	*	*	7.7
	4	-	*	*	*	0.1	0.2	0.4	0.4	0.9	0.4	0.1	*	-	-	2.5
	5	-	*	*	*	-	*	0.1	*	0.1	*	*	*	-	-	0.2
	6	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	*	*	0.1	0.2	0.7	2.2	2.8	3.7	1.5	0.5	0.1	*	*	11.8
31	1-2	-	-	-	-	*	0.1	0.2	0.3	0.2	0.1	*	*	-	-	0.9
	3	-	*	*	0.1	0.4	1.4	2.8	4.0	4.4	2.9	1.8	0.3	*	-	18.2
	4	-	*	0.1	0.3	1.0	2.7	6.0	3.6	3.5	2.2	1.1	0.3	*	-	20.7
	5	-	*	*	*	0.4	1.5	5.5	3.3	1.4	0.9	0.3	0.1	*	-	13.6
	6	-	-	*	*	*	0.2	0.8	0.7	0.2	0.2	*	*	*	-	2.1
	7	-	-	-	*	-	*	*	*	*	*	*	*	-	-	0.1
TOTAL----		-	*	0.2	0.5	1.9	5.9	15.5	11.8	9.6	6.3	3.3	0.7	*	-	55.6
41	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	*	*	*	0.1	0.4	0.4	0.3	0.2	0.1	*	-	-	1.7
	4	-	*	*	0.1	0.1	0.4	0.9	1.0	0.9	0.6	0.2	*	-	-	4.5
	5	-	*	*	0.2	0.4	0.9	1.8	1.5	0.9	0.7	0.2	*	-	-	6.6
	6	-	*	*	0.1	0.2	0.7	1.1	0.9	0.4	0.3	*	*	*	-	3.7
	7	-	-	*	*	*	0.2	0.3	0.2	*	*	*	*	-	-	0.9
TOTAL----		-	*	*	0.4	0.9	2.3	4.5	4.0	2.6	1.9	0.6	0.1	*	-	17.3
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	*	0.2	*
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	*	*	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	*	*	*	0.1	*	*	*	*	-	-	-	-	0.1
TOTAL----		-	-	*	*	*	0.1	*	*	*	*	-	-	-	-	0.2
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	0.1	*	*	*	*	*	*	*	*	0.2
	3	-	-	-	*	*	0.1	0.3	0.2	0.1	*	0.1	0.1	*	*	1.0
	4	-	-	*	*	*	*	0.1	*	0.1	*	*	*	*	-	0.3
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	*	*
	6	-	-	-	-	-	*	*	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	*	0.1	0.2	0.4	0.2	0.3	0.1	0.1	0.1	*	*	1.5
32	1-2	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.2
	3	-	-	*	*	*	0.1	0.3	0.4	0.8	0.7	0.4	0.2	*	*	3.0
	4	-	-	*	*	*	0.1	0.3	0.3	0.5	0.3	0.2	0.1	*	*	1.9
	5	-	-	*	*	0.1	0.1	0.2	0.1	0.2	0.1	0.1	*	*	-	1.0
	6	-	-	-	*	*	0.1	0.2	*	*	*	*	*	*	-	0.3
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	*	0.1	0.1	0.4	1.0	0.8	1.5	1.2	0.8	0.4	0.1	*	6.5
42	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	-	0.3
	4	-	*	*	*	*	*	0.1	0.1	0.1	0.2	0.1	*	*	-	0.6
	5	-	-	*	*	*	0.1	0.1	0.1	0.2	0.2	*	*	*	-	0.8
	6	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	*	-	0.6
	7	-	-	-	*	*	0.1	0.1	*	*	*	*	*	-	-	0.3
TOTAL----		-	*	*	*	0.1	0.3	0.5	0.4	0.5	0.4	0.2	0.1	*	-	2.6
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	*	*	*	*	*	-	*	-	-	-	-	*
	6	-	-	-	*	*	*	*	*	-	*	-	-	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	0.1	*	*	*	-	-	-	-	0.1

* Less than 0.05 percent.

Table 9. -- **Kansas**: Percent distribution of color, leaf and staple for upland cotton classed:
March 29, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	*	-	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----		-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
33	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	*	0.1	0.1	0.1	0.2	0.2	0.1	0.1	*	-	1.0
	4	-	-	-	-	*	*	0.1	0.1	0.1	0.1	0.1	*	*	-	0.5
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
TOTAL-----		-	-	-	*	0.1	0.2	0.3	0.3	0.3	0.3	0.2	0.1	*	-	1.8
43	1-2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	0.3
	4	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	-	-	0.3
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.2
	6	-	-	-	-	*	0.1	*	*	*	*	*	-	-	-	0.2
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
TOTAL-----		-	-	-	*	*	0.1	0.2	0.2	0.2	0.2	0.2	*	*	-	1.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	-	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
TOTAL-----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
24-54	1-7	-	-	-	-	*	0.1	0.2	0.1	*	0.1	0.1	*	*	-	0.5
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-
All Colors	8 2/	-	-	-	*	0.1	0.2	0.2	0.1	*	*	*	*	-	-	0.7
TOTAL, ALL-----		-	0.1	0.2	1.2	3.5	10.5	25.0	20.6	18.9	12.0	6.0	1.6	0.2	*	100.0
EXTRANEIOUS MATTER		Average Staple														34.1
		Percent Tenderable														44.8
Bark - Level 1		15.7														
Bark - Level 2		-														
Grass - Level 1		0.1														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		0.1														
Other - Level 1		-														

116,292 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 10. -- **Louisiana**: Percent distribution of color, leaf and staple for upland cotton classed:
March 29, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	0.3	0.7	0.6	0.3	0.1	*	-	-	-	2.0
	3	-	-	-	-	0.1	0.5	1.4	1.8	1.0	0.4	0.1	-	-	-	5.4
	4	-	-	-	-	*	*	-	*	*	-	*	-	*	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	0.1	0.8	2.2	2.5	1.3	0.5	0.1	-	-	-	7.5
31	1-2	-	-	-	*	0.1	0.3	0.9	0.8	0.3	0.1	*	-	-	-	2.4
	3	-	-	-	*	0.4	3.4	11.2	15.2	9.2	3.3	0.7	*	*	-	43.6
	4	-	-	-	*	*	0.3	1.2	2.5	2.7	1.5	0.5	*	*	-	8.8
	5	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	-	0.4
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	*	0.6	4.1	13.3	18.6	12.3	5.0	1.3	0.1	*	-	55.2
41	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	*	0.1	0.8	3.4	5.4	3.4	1.1	0.2	*	*	-	14.3
	4	-	-	-	*	*	0.3	1.5	3.6	4.1	2.2	0.7	0.1	*	*	12.5
	5	-	-	-	*	*	0.1	0.1	0.3	0.5	0.4	0.2	0.1	*	*	1.7
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.2
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	*	*
TOTAL----		-	-	-	*	0.2	1.2	5.1	9.4	8.0	3.7	1.2	0.1	*	*	28.8
51	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	*	*	*	0.1	0.3	0.2	*	*	-	-	-	0.7
	4	-	-	-	*	*	*	0.1	0.4	0.5	0.2	0.1	*	-	*	1.3
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	*	*	*	0.2	0.7	0.7	0.3	0.2	*	*	*	2.2
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
32	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	0.1	0.2	0.3	0.3	0.1	*	*	-	-	0.9
	4	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.5
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	*	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	0.1	0.3	0.5	0.4	0.2	*	*	*	-	1.5
42	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	0.1	0.3	0.2	0.1	*	*	-	-	0.8
	4	-	-	-	*	*	0.1	0.2	0.4	0.4	0.2	0.1	*	*	*	1.4
	5	-	-	-	-	*	*	*	*	0.1	*	*	*	*	-	0.2
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
TOTAL----		-	-	-	*	*	0.1	0.4	0.7	0.7	0.4	0.1	*	*	*	2.4
52	1-2	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.2
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	-	0.3

* Less than 0.05 percent.

Table 10. -- *Louisiana* : Percent distribution of color, leaf and staple for upland cotton classed:
March 29, 2007

QUALITY		LEAF	STAPLE														TOTAL
COLOR			26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
			Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL, ALL-----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EXTRANEEOUS MATTER																	
Bark - Level 1			0.1														
Bark - Level 2			-														
Grass - Level 1			0.5														
Grass - Level 2			*														
Prep - Level 1			0.1														
Prep - Level 2			*														
Other - Level 1			*														
Other - Level 1			-														

1,256,997 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 11. -- **Mississippi**: Percent distribution of color, leaf and staple for upland cotton classed:
March 29, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 ■ 21	1-2	-	-	*	*	0.1	0.3	0.5	0.4	0.2	*	*	-	-	-	1.4
	3	-	-	*	*	0.1	0.5	1.1	1.5	1.0	0.3	*	*	-	-	4.6
	4	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	-	0.3
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	0.1	0.8	1.7	2.0	1.2	0.4	*	*	-	-	6.3
31	1-2	-	-	*	*	0.1	0.3	0.5	0.4	0.2	*	*	*	-	-	1.6
	3	-	-	*	*	0.4	2.5	6.3	9.0	6.5	2.2	0.4	*	*	-	27.3
	4	-	-	-	*	0.1	0.5	1.7	3.5	3.8	1.8	0.4	*	*	-	11.9
	5	-	-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	-	-	0.5
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	TOTAL----	-	-	*	*	0.5	3.4	8.5	13.1	10.7	4.2	0.9	*	*	*	41.4
41	1-2	-	-	-	*	*	0.1	0.1	*	*	*	*	-	-	-	0.2
	3	-	-	-	*	0.2	1.4	3.5	4.7	2.9	0.8	0.2	*	*	-	13.8
	4	-	-	*	*	0.1	1.1	3.6	7.2	7.1	3.1	0.7	0.1	*	*	23.0
	5	-	-	*	*	*	0.3	0.7	1.2	1.4	0.8	0.3	*	*	-	4.8
	6	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	-	0.4
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	*	*	0.4	2.8	8.0	13.3	11.6	4.8	1.2	0.1	*	*	42.3
51	1-2	-	-	-	*	*	*	*	*	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	0.1	0.1	-	*	*	*	-	-	0.3
	4	-	-	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	*	0.8
	5	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	-	0.5
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	*	*	*	0.2	0.4	0.5	0.4	0.2	*	*	*	-	1.7
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	*	*	0.1	*	*	*	*	-	-	-	0.2
32	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	*	*	0.1	0.3	0.4	0.3	0.1	*	*	*	-	-	1.3
	4	-	-	-	*	*	0.1	0.3	0.3	0.2	*	*	*	-	-	1.0
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	0.1	0.5	0.7	0.7	0.4	0.1	*	*	-	-	2.5
42	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	*	*	0.1	0.2	0.3	0.3	0.1	*	*	*	-	-	1.0
	4	-	-	*	*	0.1	0.3	0.7	0.8	0.6	0.2	*	*	-	-	2.6
	5	-	-	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	-	-	0.9
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	*	*	0.1	0.6	1.1	1.4	0.9	0.3	*	*	-	-	4.6
52	1-2	-	-	-	-	*	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.2
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.4

* Less than 0.05 percent.

Table 11. -- **Mississippi**: Percent distribution of color, leaf and staple for upland cotton classed:
March 29, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	*	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	*	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	*	*	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	*	-	*	*	*	*	*	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	*	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	-	*	*	-	-	-	-	-	*
33	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	*	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	*	-	*	0.2
43	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	*	*	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	4	-	-	-	*	*	*	*	0.1	*	*	*	*	-	-	0.2
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	TOTAL----	-	-	*	*	*	*	0.1	0.2	0.1	*	*	*	-	-	0.5
53	1-2	-	-	-	-	*	*	-	-	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	*	*
	4	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	TOTAL----	-	-	*	*	*	*	*	*	*	*	*	-	-	*	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	*	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
TOTAL, ALL-----		-	-	*	0.1	1.4	8.5	20.8	31.4	25.5	10.0	2.3	0.1	*	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.2														
Bark - Level 2		-														
Grass - Level 1		0.5														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

2,029,384 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 12. -- **Missouri**: Percent distribution of color, leaf and staple for upland cotton classed:
March 29, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	0.1	0.2	0.1	-	-	-	0.4
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	-	0.5
31	1-2	-	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	0.2
	3	-	-	-	-	*	*	*	0.4	3.1	6.5	3.9	0.3	-	-	14.2
	4	-	-	-	-	*	*	*	0.1	1.3	4.3	3.5	0.2	*	*	9.4
	5	-	-	-	*	*	*	-	*	-	0.1	0.1	*	*	-	0.2
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	*	0.6	4.4	11.0	7.5	0.5	*	*	24.0
41	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	*	*	*	0.9	5.2	9.5	5.0	0.3	*	*	21.0
	4	-	-	-	-	*	*	*	0.5	4.7	16.0	14.4	1.7	0.2	*	37.5
	5	-	-	-	-	-	-	-	*	0.2	1.1	1.8	0.3	*	*	3.4
	6	-	-	-	-	-	-	-	*	*	*	0.1	*	*	-	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	1.4	10.2	26.6	21.3	2.3	0.2	*	62.1
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	0.1	0.4	0.6	0.3	*	*	-	1.4
	4	-	-	-	-	-	-	-	0.1	0.5	1.6	1.1	0.1	-	-	3.4
	5	-	-	-	-	-	-	-	*	0.1	0.2	0.2	*	*	*	0.5
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	0.2	1.0	2.4	1.6	0.2	*	*	*	5.3
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	*	-	-	*	*	0.1	0.2	0.1	*	*	-	0.4
	4	-	-	-	-	-	*	*	*	0.1	0.2	0.2	*	-	*	0.4
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	-	*	*	*	0.2	0.3	0.3	*	*	*	0.9
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	0.1	0.5	0.6	0.2	*	*	-	1.5
	4	-	-	-	-	-	-	-	0.1	0.6	1.4	0.8	0.1	*	*	3.0
	5	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	0.3
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	0.2	1.2	2.1	1.2	0.1	*	*	4.9
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	0.1	0.1	-	*	-	-	0.2
	4	-	-	-	-	-	-	-	-	0.1	0.2	0.1	*	-	-	0.5
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	-	0.2	0.4	0.2	*	-	-	0.8

* Less than 0.05 percent.

Table 12. -- **Missouri**: Percent distribution of color, leaf and staple for upland cotton classed:
March 29, 2007

QUALITY	LEAF	STAPLE														TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
33	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	0.1	*	*	*	-	0.2
43	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	-	-	0.4
	4	-	-	-	-	-	*	*	*	0.1	0.2	0.2	*	*	*	0.5
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	0.2	0.4	0.3	*	*	*	0.9
53	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	-	*	*	0.1	*	*	*	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	0.2
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	*	-	*	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL, ALL-----		-	-	-	*	*	*	0.1	2.6	17.6	43.7	32.5	3.2	0.3	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	0.2															
Bark - Level 2	-															
Grass - Level 1	*															
Grass - Level 2	-															
Prep - Level 1	0.6															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	*															

994,018 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 13. -- **New Mexico**: Percent distribution of color, leaf and staple for upland cotton classed:
March 29, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	0.2	1.1	4.6	5.8	1.4	0.2	-	13.3
	3	-	-	-	-	-	-	-	0.2	0.8	2.8	7.5	3.6	1.0	0.1	15.9
	4	-	-	-	-	-	-	-	-	0.1	0.1	0.3	0.4	0.3	0.1	1.4
	5	-	-	-	-	-	-	-	*	-	*	*	*	*	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	0.5	2.0	7.5	13.5	5.4	1.6	0.2	30.6
31	1-2	-	-	-	-	-	-	-	0.1	1.0	3.4	5.9	1.5	0.2	*	12.2
	3	-	-	-	-	-	-	*	0.6	2.0	7.2	18.5	9.1	2.6	0.3	40.3
	4	-	-	-	-	-	-	*	0.3	0.5	1.1	3.1	2.7	1.7	0.6	10.0
	5	-	-	-	-	-	-	-	*	0.1	0.2	0.2	0.3	0.1	0.1	1.0
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	1.0	3.6	12.0	27.8	13.5	4.6	1.0	63.5
41	1-2	-	-	-	-	-	-	-	*	*	*	0.1	0.1	-	-	0.3
	3	-	-	-	-	-	-	*	*	0.1	0.5	0.7	0.4	0.2	*	1.9
	4	-	-	-	-	-	-	*	*	0.2	0.8	0.6	0.6	0.4	0.1	2.7
	5	-	-	-	-	-	-	-	*	*	0.2	0.2	0.2	0.1	0.1	0.8
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	0.1	0.4	1.5	1.6	1.3	0.7	0.3	5.8
51	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	-	*	*	*	*	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	-	*	*	-	-	*
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	*	-	*	-	-	*
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*

* Less than 0.05 percent.

Table 13. -- **New Mexico**: Percent distribution of color, leaf and staple for upland cotton classed:
March 29, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL----		-	-	-	-	-	*	0.1	1.6	6.0	21.0	43.0	20.2	6.8	1.5	100.0
EXTRANEEOUS MATTER		Average Staple														37.0
		Percent Tenderable														75.8
Bark - Level 1	2.1															
Bark - Level 2	-															
Grass - Level 1	0.6															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	0.1															
Other - Level 1	-															

39,338 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 14. -- **North Carolina** : Percent distribution of color, leaf and staple for upland cotton classed:
March 29, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	0.1	*	*	*	*	-	0.2
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	-	0.2
31	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	*	*	*	0.1	0.6	2.5	4.2	2.6	0.7	0.1	*	*	10.7
	4	-	-	-	*	*	*	0.1	0.9	2.2	1.9	0.7	0.1	*	*	6.0
	5	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	0.4
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	*	0.1	0.8	3.5	6.5	4.7	1.5	0.2	*	*	17.2
41	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	*	*	0.2	1.6	6.8	11.2	6.1	1.3	0.1	*	*	27.2
	4	-	-	-	*	*	0.1	1.0	5.7	14.3	12.7	4.3	0.5	*	*	38.5
	5	-	-	-	-	*	*	0.1	0.7	2.0	2.4	1.3	0.3	*	*	6.8
	6	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.6
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	*	*	0.3	2.7	13.2	27.6	21.4	7.0	0.9	0.1	*	73.3
51	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.3	0.4	0.2	*	*	-	-	1.0
	4	-	-	-	*	*	*	0.1	0.5	1.1	0.8	0.2	*	-	-	2.8
	5	-	-	-	-	*	*	*	0.2	0.4	0.3	0.2	*	*	*	1.1
	6	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	0.3
	7	-	-	-	-	*	-	*	*	*	*	*	*	-	-	0.1
	TOTAL----	-	-	-	*	*	0.3	1.1	1.9	1.4	0.5	0.1	*	*	-	5.3
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	*	*	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	*	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	-	*	*	*	*	*	-	-	-	*
32	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	4	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	0.1	0.2	0.1	0.1	*	*	*	0.8
42	1-2	-	-	-	-	*	*	*	*	*	-	*	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.6
	4	-	-	-	-	*	*	0.1	0.3	0.5	0.4	0.1	*	*	*	1.4
	5	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.5
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	-	*	*	0.2	0.5	0.9	0.7	0.3	*	*	*	2.6
52	1-2	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	0.3

* Less than 0.05 percent.

Table 14. -- **North Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:
March 29, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
33	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
43	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	0.3
53	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
All Colors	8 2/	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL, ALL-----		-	-	*	*	*	0.5	4.1	18.6	37.5	28.6	9.4	1.2	0.1	*	100.0
EXTRANEIOUS MATTER																
Bark - Level 1		0.6														
Bark - Level 2		*														
Grass - Level 1		0.9														
Grass - Level 2		"														
Prep - Level 1		0.3														
Prep - Level 2		"														
Other - Level 1		*														
Other - Level 1		-														

1,257,498 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 15. -- **Oklahoma:** Percent distribution of color, leaf and staple for upland cotton classed:
March 29, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.1	0.3	0.9	2.1	3.5	4.6	1.2	0.1	*	12.8
	3	-	-	*	*	0.1	0.2	0.4	1.1	2.4	3.2	4.2	1.3	0.2	*	13.1
	4	-	-	*	*	*	*	*	0.1	0.2	0.2	0.2	*	*	*	0.8
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	*	*	0.1	0.3	0.7	2.1	4.8	6.9	9.0	2.6	0.3	*	26.7
31	1-2	-	-	*	*	*	0.1	0.2	0.6	1.0	1.7	2.1	0.5	*	*	6.2
	3	-	*	*	0.1	0.3	0.7	1.5	3.0	4.9	7.1	10.9	3.7	0.5	*	32.7
	4	-	*	*	0.1	0.3	0.5	1.0	1.5	2.0	2.1	1.9	0.6	0.1	*	10.1
	5	-	*	*	*	*	0.1	0.2	0.3	0.4	0.3	0.2	0.1	*	*	1.7
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	TOTAL----	-	*	*	0.2	0.6	1.4	2.9	5.4	8.2	11.2	15.1	4.9	0.7	*	50.7
41	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	3	-	*	*	*	0.1	0.1	0.3	0.4	0.6	0.7	0.6	0.1	*	-	2.9
	4	-	*	*	0.1	0.2	0.4	0.7	0.9	1.0	0.9	0.7	0.1	*	*	4.9
	5	-	*	*	*	0.1	0.2	0.4	0.5	0.5	0.5	0.4	0.1	*	*	2.9
	6	-	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	0.6
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	TOTAL----	-	*	*	0.1	0.4	0.8	1.4	1.9	2.2	2.2	1.8	0.3	0.1	*	11.5
51	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	-	0.4
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	*	*	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	-	-	-	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	-	0.6
	3	-	*	*	*	*	0.1	0.1	0.2	0.2	0.2	0.1	*	*	-	1.1
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.2
	5	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	*	*	*	0.1	0.1	0.3	0.3	0.4	0.3	0.3	*	*	-	1.8
32	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	*	*	*	*	0.1	0.2	0.3	0.4	0.4	0.2	*	*	*	1.8
	4	-	*	*	*	0.1	0.1	0.2	0.2	0.2	0.2	0.1	*	*	-	1.2
	5	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.4
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	*	*	*	0.1	0.3	0.4	0.6	0.8	0.7	0.4	0.1	*	*	3.5
42	1-2	-	-	-	-	*	-	*	*	*	*	*	-	-	-	*
	3	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.4
	4	-	*	*	*	*	0.1	0.2	0.2	0.2	0.2	0.1	*	*	*	1.0
	5	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	-	0.7
	6	-	*	-	*	*	*	*	*	*	*	*	*	*	*	0.2
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	TOTAL----	-	*	*	*	0.1	0.3	0.4	0.4	0.5	0.4	0.2	*	*	*	2.4
52	1-2	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.2

* Less than 0.05 percent.

Table 15. -- **Oklahoma** : Percent distribution of color, leaf and staple for upland cotton classed:
March 29, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.2
	4	-	*	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	*	-	*	*	*	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	*	-	*	*	*	*	*	*	*	0.1	*	*	-	0.3
33	1-2	-	-	-	*	*	*	*	*	*	*	*	-	*	-	0.1
	3	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
	4	-	*	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.3
	5	-	*	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	TOTAL----	-	*	*	*	*	0.1	0.1	0.2	0.2	0.2	0.1	*	*	*	1.1
43	1-2	-	-	*	*	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	0.3
	4	-	-	-	-	*	*	*	*	0.1	*	*	*	*	*	0.3
	5	-	-	*	*	*	*	*	*	0.1	*	*	*	*	*	0.3
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL----	-	-	*	*	*	0.1	0.1	0.2	0.2	0.2	0.1	*	*	*	0.9
53	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	*	*	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	-	-	-	*	*	-	-	-	*
24-54	1-7	-	-	*	*	*	*	*	*	*	0.1	*	*	*	*	0.2
25-35	1-7	-	-	-	-	-	-	-	-	*	*	-	*	-	-	*
81-85 1/	1-7	-	-	-	-	*	-	-	-	*	*	*	*	-	-	*
All Colors	8 2/	-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.1
TOTAL, ALL-----		-	*	0.1	0.5	1.6	3.5	6.6	11.3	17.5	22.5	27.1	8.0	1.1	0.1	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		9.1														
Bark - Level 2		*														
Grass - Level 1		0.1														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

183,551 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 16. -- **South Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:
March 29, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.6
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.7
31	1-2	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.3
	3	-	-	-	*	*	0.4	1.5	4.1	7.3	4.6	0.9	*	*	-	18.9
	4	-	-	-	*	*	0.1	0.3	0.8	1.8	1.9	0.7	0.1	*	*	5.7
	5	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	0.3
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.5	1.9	5.0	9.2	6.6	1.6	0.2	*	*	25.1
41	1-2	-	-	-	-	*	*	*	*	0.1	*	*	-	-	-	0.1
	3	-	-	*	*	*	0.3	1.8	7.5	14.1	7.2	1.5	0.1	*	*	32.5
	4	-	-	-	*	*	0.2	1.2	4.5	10.2	8.5	3.5	0.7	0.1	*	28.8
	5	-	-	-	*	*	0.1	0.2	0.6	1.2	1.1	0.8	0.3	*	*	4.4
	6	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL----	-	-	*	*	0.1	0.6	3.2	12.8	25.7	16.9	5.9	1.0	0.1	*	66.2
51	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	*	*	*	0.1	0.4	0.4	0.1	*	*	*	-	1.1
	4	-	-	-	-	*	*	0.2	0.7	1.0	0.6	0.3	*	-	*	2.8
	5	-	-	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	*	-	1.0
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2
	7	-	-	-	-	-	-	-	*	-	*	*	*	-	-	*
	TOTAL----	-	-	-	*	*	0.1	0.5	1.3	1.7	1.0	0.5	0.1	*	*	5.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
32	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	-	-	0.3
	4	-	-	-	-	*	*	*	*	*	0.1	*	*	*	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	-	0.5
42	1-2	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	-	0.5
	4	-	-	-	-	*	*	0.1	0.2	0.4	0.3	0.1	*	-	-	1.0
	5	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	*	0.1	0.4	0.6	0.4	0.1	*	-	-	1.7
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	*	0.2

* Less than 0.05 percent.

Table 16. — **South Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:
March 29, 2007

QUALITY		March 29, 2007															
	LEAF	STAPLE															
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL	
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	*	*	-	*	*	-	-	-	*	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
	4	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	4	-	-	-	-	-	*	-	-	*	*	*	*	-	-	*	
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*	
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.2	
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	0.2	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	6	-	-	-	-	-	*	*	*	-	*	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	*	-	-	*	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	*	-	-	*	-	-	*	
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*	
All Colors	8 2/	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
TOTAL, ALL-----		-	-	*	*	0.1	1.2	5.8	20.0	37.7	25.3	8.3	1.3	0.1	*	100.0	
EXTRANEEOUS MATTER																	
Bark - Level 1		0.4															
Bark - Level 2		*															
Grass - Level 1		0.7															
Grass - Level 2		*															
Prep - Level 1		0.1															
Prep - Level 2		-															
Other - Level 1		*															
Other - Level 1		-															

402,358 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 17. — **Tennessee**: Percent distribution of color, leaf and staple for upland cotton classed:
March 29, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.1	0.2	0.2	*	*	-	-	-	0.5
	3	-	-	-	-	*	*	0.3	0.8	1.0	0.6	0.1	*	*	-	2.8
	4	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.4	1.0	1.3	0.7	0.1	*	*	-	-	3.6
31	1-2	-	-	-	-	*	*	0.1	0.3	0.2	*	*	*	-	-	0.7
	3	-	-	*	*	*	0.5	2.7	8.1	10.7	6.0	1.5	*	*	-	29.6
	4	-	-	-	*	*	0.1	0.6	2.8	6.4	6.0	2.1	0.1	*	*	18.2
	5	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	0.5
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
TOTAL----		-	-	*	*	*	0.5	3.4	11.3	17.5	12.3	3.7	0.2	*	*	48.9
41	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	*	*	0.2	1.1	3.3	4.6	3.3	1.1	*	*	-	13.6
	4	-	-	-	*	*	0.1	0.7	2.8	7.1	8.5	4.1	0.3	*	*	23.6
	5	-	-	-	-	*	*	*	0.2	0.6	1.2	0.8	0.1	*	*	2.8
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	*	*	0.3	1.9	6.3	12.4	13.0	5.9	0.4	*	*	40.2
51	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	*	-	0.5
	4	-	-	-	-	*	*	0.1	0.2	0.4	0.5	0.2	*	-	-	1.4
	5	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	0.2	0.4	0.7	0.7	0.3	*	*	*	*	2.3
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
12 & 22	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
32	1-2	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	-	*
	3	-	-	-	*	*	*	0.1	0.2	0.2	0.1	0.1	*	*	*	0.7
	4	-	-	-	-	*	*	*	0.1	0.2	0.1	0.1	*	*	*	0.6
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	0.1	0.2	0.4	0.4	0.3	0.1	*	*	*	1.4
42	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.2	0.1	0.1	*	*	-	0.5
	4	-	-	-	-	*	*	0.1	0.2	0.3	0.5	0.4	*	*	-	1.5
	5	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	-	0.4
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	*	0.1	0.3	0.6	0.8	0.6	0.6	*	*	-	2.4
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	0.2

* Less than 0.05 percent.

Table 17. -- **Tennessee**: Percent distribution of color, leaf and staple for upland cotton classed:
March 29, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
33	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.2
43	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	*	0.5
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	-	*	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
All Colors	8 2/	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
TOTAL, ALL-----		-	-	*	*	0.1	1.0	6.2	19.8	33.0	28.1	11.0	0.7	*	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.3														
Bark - Level 2		-														
Grass - Level 1		0.1														
Grass - Level 2		-														
Prep - Level 1		0.5														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		*														

1,310,890 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 18. -- **Texas**: Percent distribution of color, leaf and staple for upland cotton classed:
March 29, 2007

QUALITY		LEAF	STAPLE														TOTAL
COLOR	26 & -		28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
11 & 21	1-2	*	*	*	*	0.1	0.3	0.6	1.3	2.5	3.4	2.9	0.5	0.1	*	11.6	
	3	-	*	*	0.1	0.2	0.4	0.9	2.5	5.9	9.1	10.1	2.7	0.6	0.1	32.6	
	4	-	*	*	*	*	*	0.1	0.2	0.5	0.9	1.0	0.3	0.1	*	3.3	
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*	
	TOTAL----	*	*	*	0.1	0.3	0.7	1.6	4.1	8.9	13.4	14.0	3.6	0.8	0.1	47.5	
31	1-2	*	*	*	*	*	0.1	0.2	0.3	0.4	0.5	0.3	*	*	*	1.8	
	3	*	*	*	*	0.1	0.4	1.1	2.7	4.5	5.7	5.9	1.7	0.4	*	22.4	
	4	-	*	*	*	*	0.1	0.4	1.0	2.1	2.9	3.4	1.2	0.3	*	11.5	
	5	-	*	*	*	*	*	0.1	0.1	0.3	0.4	0.5	0.1	*	*	1.5	
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	7	-	-	-	*	-	*	*	*	*	*	*	*	*	*	*	
	TOTAL----	*	*	*	*	0.2	0.6	1.7	4.1	7.3	9.4	10.0	3.1	0.7	0.1	37.3	
41	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1	
	3	-	*	*	*	*	*	0.2	0.4	0.5	0.5	0.4	0.1	*	*	2.1	
	4	-	*	*	*	*	*	0.2	0.4	0.8	0.9	1.2	0.4	0.1	*	4.0	
	5	-	*	*	*	*	*	0.1	0.1	0.2	0.4	0.5	0.2	*	*	1.5	
	6	-	*	*	*	*	*	*	*	*	0.1	0.1	*	*	*	0.2	
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----	*	*	*	*	*	0.1	0.4	1.0	1.7	1.9	2.1	0.6	0.1	*	8.0	
51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2	
	4	-	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4	
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2	
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL----	-	-	*	*	*	*	*	0.1	0.2	0.2	0.2	*	*	*	0.8	
61	1-2	-	-	-	-	*	-	*	-	*	-	-	-	-	-	*	
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	*	-	*	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
71	1-2	-	-	-	-	*	-	*	-	*	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	-	*	-	*	*	*	*	*	*	-	-	*	
12 & 22	1-2	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	*	0.4	
	3	*	*	*	*	0.1	0.1	0.1	0.2	0.3	0.3	0.2	*	*	*	1.3	
	4	*	*	*	*	*	*	*	*	0.1	0.1	*	*	*	*	0.3	
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*	
	6	-	*	-	*	*	*	*	*	*	*	*	-	-	-	*	
	7	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*	
	TOTAL----	*	*	*	0.1	0.2	0.2	0.2	0.3	0.4	0.4	0.3	*	*	*	2.1	
32	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	*	*	*	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	0.9	
	4	*	*	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.7	
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL----	*	*	*	*	*	0.1	0.1	0.3	0.4	0.4	0.3	0.1	*	*	1.8	
42	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	
	4	-	*	*	*	*	*	*	0.1	0.2	0.1	0.1	*	*	*	0.6	
	5	-	*	*	*	*	*	*	*	*	0.1	*	*	*	*	0.3	
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----	-	*	*	*	*	*	0.1	0.1	0.3	0.2	0.2	*	*	*	1.1	
52	1-2	-	-	*	-	*	*	*	*	*	-	*	-	-	-	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*	
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1	
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	*	*	-	-	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL----	*	*	*	*	*	*	*	*	*	*	0.1	*	*	*	0.2	

* Less than 0.05 percent.

Table 18. -- **Texas**: Percent distribution of color, leaf and staple for upland cotton classed:
March 29, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	*	*	-	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	*	-	*	*	*	*	*	*	*	-	*
	6	-	*	*	-	-	-	-	*	*	*	*	*	-	-	*
	7	*	*	*	-	-	-	-	*	*	-	-	*	-	-	*
TOTAL----		*	*	*	-	*	*	*	*	*	*	*	*	*	-	*
13 & 23	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	*	*	*	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
TOTAL----		*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
33	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.3
	4	-	*	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.1
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	*	*	*	*	*	*	*	*	-	*	-	-	-	*
TOTAL----		*	*	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.5
43	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
53	1-2	-	-	-	-	-	*	*	*	*	-	*	*	*	-	*
	3	-	-	*	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
TOTAL----		-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
63	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	*	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	*	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL----		-	*	-	-	*	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
25-35	1-7	-	-	-	-	*	*	-	*	*	*	*	-	-	-	*
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL, ALL-----		*	*	0.1	0.3	0.8	1.9	4.3	10.2	19.5	26.2	27.3	7.5	1.6	0.2	100.0
EXTRANEEOUS MATTER		Average Staple														35.8
		Percent Tenderable														56.3
Bark - Level 1	18.5															
Bark - Level 2	"															
Grass - Level 1	0.7															
Grass - Level 2	*															
Prep - Level 1	0.1															
Prep - Level 2	*															
Other - Level 1	0.1															
Other - Level 1	*															

5,697,812 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 19. -- *Virginia*: Percent distribution of color, leaf and staple for upland cotton classed:
March 29, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
31	1-2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.9	2.4	2.4	1.2	0.1	*	-	7.1
	4	-	-	-	-	*	*	0.1	0.5	1.8	2.2	1.3	0.2	*	*	6.0
	5	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	-	-	0.3
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.2	1.4	4.3	4.6	2.5	0.3	*	*	13.4
41	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	0.1	1.0	4.9	9.8	7.2	3.0	0.3	*	-	26.4
	4	-	-	-	*	*	*	0.6	4.1	14.7	16.2	7.1	1.0	*	*	43.8
	5	-	-	-	-	-	*	0.1	0.4	1.7	2.6	1.3	0.1	*	*	6.2
	6	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.3
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL----		-	-	-	*	*	0.1	1.7	9.5	26.4	26.0	11.6	1.5	*	*	76.8
51	1-2	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	3	-	-	-	-	-	*	0.2	0.4	0.5	0.2	0.1	*	-	-	1.4
	4	-	-	-	*	*	*	0.1	0.6	1.3	0.8	0.2	*	-	-	3.0
	5	-	-	-	-	-	*	*	*	0.2	0.2	0.1	*	-	-	0.5
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	0.1	0.3	1.0	2.1	1.2	0.3	*	*	-	5.0
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	*	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	-	*	-	*	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
32	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	0.4
	4	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	-	-	0.4
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	0.1	0.2	0.3	0.1	*	-	-	0.8
42	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	0.1	0.3	0.3	0.2	0.1	*	-	-	1.0
	4	-	-	-	-	-	*	0.1	0.4	0.8	0.7	0.2	*	*	-	2.2
	5	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.3
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	0.2	0.6	1.2	1.1	0.3	*	*	-	3.5
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	0.1	*	*	*	*	-	-	0.2

* Less than 0.05 percent.

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed:
March 29, 2007

QUALITY		March 29, 2007														
COLOR	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	*	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	-	-	-	*	*	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.2
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL----		-	-	-	*	*	0.2	2.4	12.8	34.3	33.4	15.0	1.9	*	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.3														
Bark - Level 2		-														
Grass - Level 1		1.2														
Grass - Level 2		*														
Prep - Level 1		0.2														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 1		-														
			Average Staple 35.5													
			Percent Tenderable 86.6													

141,466 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 20. — Percentage distribution of mike and fiber strength for upland cotton classed through
March 29, 2007

MIKE AND FIBER STRENGTH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
MIKE 24 & below	*	0.1	-	*	*	*	0.5	*	-
25	*	0.1	*	*	*	*	0.6	*	*
26	*	0.1	*	*	0.1	*	0.9	*	*
27	*	0.2	*	0.1	0.1	*	1.3	*	*
28	*	0.2	*	0.1	0.1	*	1.5	*	*
29	*	0.3	*	0.1	0.1	*	1.7	*	*
30	*	0.4	*	0.2	0.1	*	2.5	*	*
31	*	0.5	*	0.2	0.1	0.1	3.1	*	*
32	0.1	0.6	*	0.3	0.2	0.1	4.0	*	*
33	0.1	0.7	*	0.5	0.3	0.2	4.3	*	0.1
34	0.2	1.0	0.1	0.7	0.6	0.3	3.9	*	0.2
35	0.3	1.3	0.2	1.2	0.8	0.4	4.2	0.1	0.3
36	0.5	1.6	0.4	1.9	1.0	0.6	4.4	0.2	0.5
37	0.7	2.2	0.8	3.1	1.4	0.8	4.5	0.3	0.7
38	1.0	2.8	1.4	4.2	1.8	1.1	4.8	0.5	1.0
39	1.6	3.8	2.5	5.8	2.1	1.5	4.3	0.8	1.4
40	2.3	4.4	3.9	7.2	2.9	2.1	4.2	1.3	2.1
41	3.2	4.8	5.7	8.8	3.7	2.8	4.3	2.0	3.0
42	4.4	5.1	7.5	10.2	4.8	3.8	4.8	2.9	4.3
43	5.8	5.6	9.3	10.7	6.0	5.0	5.3	4.1	5.7
44	7.5	6.5	10.5	10.9	7.5	6.5	5.9	5.7	6.9
45	8.8	7.6	10.7	10.1	8.7	8.2	5.2	7.8	8.2
46	9.6	8.4	10.4	8.7	10.3	10.0	5.5	10.5	9.4
47	10.4	8.7	9.9	5.9	11.2	11.5	4.2	13.6	10.6
48	10.3	8.3	8.7	3.6	10.6	12.0	3.8	15.8	11.2
49	9.6	7.8	6.8	2.4	9.7	11.1	2.8	14.8	10.7
50	8.2	6.3	4.8	1.4	7.2	8.8	2.1	10.3	9.0
51	6.4	4.7	3.1	0.8	4.3	6.3	1.9	5.5	6.5
52	4.3	3.1	1.7	0.4	2.5	3.9	1.5	2.3	4.2
53	2.4	1.8	0.9	0.2	1.1	1.8	1.0	0.9	2.5
54	1.1	0.7	0.4	*	0.5	0.6	0.5	0.3	1.2
55	0.5	0.2	0.1	*	0.2	0.2	0.3	0.1	0.4
56	0.2	0.1	*	*	0.1	*	0.1	*	0.1
57	0.1	*	*	*	*	*	*	*	*
58	*	-	*	-	*	*	-	-	*
59	*	-	*	-	-	-	-	-	*
60 & above	-	-	-	-	-	-	-	-	-
Average mike	47	45	45	43	46	47	40	47	47
FIBER STRENGTH 1/									
17 & below	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	*	-	-
19	-	-	-	-	-	-	*	-	-
20	*	*	-	-	*	*	0.1	-	-
21	*	*	*	-	*	*	*	*	*
22	*	*	*	-	*	*	0.1	*	*
23	0.1	0.1	*	*	*	*	0.1	0.2	0.1
24	0.6	0.3	0.1	*	0.3	0.2	0.6	1.0	0.8
25	2.8	1.2	0.5	*	1.8	1.7	1.8	4.5	3.0
26	9.0	3.3	1.9	0.2	7.8	6.6	5.0	14.0	8.3
27	19.1	6.8	6.8	0.9	21.6	17.1	16.3	24.1	16.1
28	25.1	12.3	17.1	2.2	33.7	28.3	21.9	23.9	21.6
29	21.1	18.6	25.8	3.9	22.2	25.3	17.8	16.9	21.2
30	12.6	21.4	25.2	6.1	8.5	13.4	15.2	9.3	15.7
31	5.9	18.0	14.9	7.2	2.8	5.1	12.9	4.1	8.4
32	2.4	10.7	5.7	8.2	0.9	1.6	5.7	1.4	3.4
33	0.9	4.8	1.4	11.8	0.2	0.5	1.8	0.4	0.9
34	0.3	1.7	0.4	19.5	*	0.1	0.5	0.1	0.4
35	0.1	0.5	0.1	21.1	*	*	0.1	*	0.1
36 & above	*	0.1	*	18.8	*	*	*	*	*
Average strength	28.3	29.8	29.4	33.5	28.1	28.4	28.9	27.8	28.5

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through
March 29, 2007

MIKE AND FIBER STRENGTH	MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
MIKE 24 & below	-	0.4	*	0.1	*	*	1.4	-	0.4
25	"	0.2	*	0.1	*	"	1.0	-	0.3
26	"	0.5	*	0.1	*	"	1.3	-	0.4
27	"	0.8	*	0.2	*	*	1.7	-	0.5
28	*	0.9	*	0.4	*	*	2.0	-	0.6
29	0.1	1.2	*	0.3	*	*	2.3	*	0.7
30	0.2	1.4	*	0.4	0.1	*	2.6	*	0.8
31	0.3	2.1	*	0.5	0.1	*	2.9	*	0.9
32	0.5	2.7	*	0.7	0.2	0.1	3.1	*	1.0
33	0.8	4.4	*	0.8	0.2	0.1	3.3	*	1.1
34	1.2	6.0	0.1	1.0	0.3	0.1	3.6	0.1	1.2
35	1.6	7.6	0.2	1.2	0.5	0.2	3.8	0.2	1.4
36	2.2	8.7	0.3	1.5	0.7	0.4	4.0	0.4	1.7
37	3.1	9.0	0.5	1.8	1.1	0.6	4.2	0.8	2.0
38	4.2	10.2	1.0	2.1	1.5	0.9	4.6	1.2	2.4
39	5.4	10.1	2.0	2.5	2.3	1.4	4.9	2.2	3.0
40	6.9	8.3	3.6	3.1	3.2	2.1	5.3	3.4	3.8
41	8.1	7.2	5.9	3.9	4.4	3.2	5.7	5.5	4.8
42	9.0	6.5	8.5	4.7	5.9	4.6	6.0	7.7	5.8
43	9.6	4.8	10.4	5.5	7.3	6.2	6.1	10.0	6.8
44	9.6	3.2	11.1	6.4	8.6	8.0	5.8	12.2	7.6
45	9.3	1.7	11.3	7.6	9.5	9.7	5.4	13.0	8.1
46	8.2	0.9	10.7	8.5	10.2	11.0	4.8	11.8	8.5
47	6.9	0.6	9.6	9.3	10.2	11.7	4.1	10.1	8.5
48	5.5	0.3	8.1	9.4	9.4	11.1	3.3	8.1	8.0
49	3.5	0.1	6.3	8.5	8.1	9.4	2.5	5.8	6.9
50	2.0	*	4.5	7.1	6.2	7.1	1.7	3.5	5.2
51	1.0	*	2.9	5.1	4.7	4.8	1.1	2.0	3.5
52	0.5	*	1.6	3.2	3.0	3.2	0.7	1.2	2.1
53	0.2	*	0.7	1.9	1.5	2.0	0.3	0.6	1.1
54	0.1	*	0.3	1.0	0.6	1.3	0.2	0.3	0.5
55	*	-	0.1	0.5	0.1	0.6	0.1	*	0.2
56	*	-	*	0.3	*	0.1	*	*	*
57	*	-	*	0.1	*	*	*	*	*
58	*	-	*	*	*	*	*	-	*
59	-	-	-	*	-	*	*	-	*
60 & above	-	-	-	*	-	-	*	-	*
Average mike	43	38	45	45	46	46	39	45	46
FIBER STRENGTH 1/									
17 & below	-	-	-	*	-	-	*	-	*
18	-	-	-	*	-	-	*	-	*
19	-	-	-	*	-	-	*	-	*
20	-	-	-	*	-	-	*	-	*
21	-	*	-	*	-	-	0.1	-	*
22	*	*	*	0.1	*	*	0.2	*	0.1
23	*	0.2	*	0.2	*	*	0.7	*	0.2
24	0.1	1.0	0.1	0.6	0.2	*	1.5	0.1	0.7
25	0.3	3.3	0.5	1.5	0.9	0.3	3.3	0.4	2.0
26	1.6	6.5	2.3	3.4	3.2	1.3	6.4	1.6	5.4
27	5.8	8.7	7.8	6.3	9.0	4.7	10.3	5.7	11.2
28	15.0	13.1	17.0	10.4	18.8	12.4	13.9	14.2	17.6
29	25.2	17.5	24.2	13.0	25.2	23.0	16.7	23.5	20.4
30	27.0	18.5	21.4	13.8	21.5	26.3	17.4	23.5	18.0
31	16.4	12.9	13.9	13.7	12.5	18.5	14.6	15.9	12.0
32	6.3	9.0	7.6	12.3	5.7	8.9	9.0	8.7	6.2
33	1.8	5.5	3.6	9.9	2.2	3.3	3.9	4.4	2.8
34	0.4	2.6	1.3	7.2	0.6	1.0	1.4	1.7	1.6
35	0.1	1.1	0.2	4.3	0.1	0.2	0.4	0.3	1.0
36 & above	*	0.1	0.1	3.2	*	*	0.1	0.1	0.8
Average strength	29.6	29.4	29.5	30.6	29.2	29.8	29.2	29.8	29.2

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 21. — Percentage distribution of uniformity and trash for upland cotton classed through March 29, 2007

UNIFORMITY AND TRASH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
UNIFORMITY 1/									
72.4 & below	-	-	-	-	-	-	-	-	-
72.5-73.4	-	*	-	-	-	-	-	-	-
73.5-74.4	-	*	-	-	-	*	*	-	-
74.5-75.4	*	*	-	-	*	*	*	*	*
75.5-76.4	*	0.1	*	*	*	*	0.1	0.1	*
76.5-77.4	0.4	0.5	0.1	*	0.2	0.5	0.4	1.1	0.5
77.5-78.4	3.8	1.9	0.6	0.4	2.3	4.6	2.4	7.1	3.4
78.5-79.4	14.6	7.3	3.2	1.8	13.2	16.9	11.0	22.9	12.7
79.5-80.4	28.9	21.0	11.0	5.4	40.7	33.9	30.9	29.9	24.7
80.5-81.4	30.6	34.0	23.7	12.5	30.1	26.7	36.1	21.9	28.8
81.5-82.4	16.8	26.5	37.6	27.4	9.9	11.9	16.6	12.7	22.0
82.5-83.4	4.4	7.7	20.6	33.5	3.2	4.4	2.4	3.8	7.3
83.5-84.4	0.4	0.9	3.0	14.3	0.3	0.9	0.1	0.4	0.6
84.5-85.4	*	*	0.2	3.8	*	*	*	*	*
85.5-86.4	*	*	*	0.7	-	-	-	-	-
86.5-87.4	-	-	-	*	-	-	-	-	-
87.5-88.4	-	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-
Average uniformity	80.6	81.0	81.7	82.5	80.4	80.4	80.6	80.2	80.8
TRASH 2/									
0.0	-	*	*	*	-	-	-	*	*
0.1	1.6	32.1	0.5	21.5	0.4	0.8	0.8	3.1	1.6
0.2	15.2	42.6	5.5	42.5	9.9	14.0	8.0	19.8	11.0
0.3	29.1	14.5	17.2	21.2	29.9	30.8	17.1	30.1	20.5
0.4	24.8	4.3	23.9	8.1	30.0	25.7	16.0	21.1	20.6
0.5	15.1	2.2	21.6	3.2	17.5	15.0	15.9	12.7	16.7
0.6	6.9	1.4	15.1	1.5	7.6	7.9	12.9	6.6	12.3
0.7	3.7	1.0	8.6	0.7	2.8	3.1	10.2	3.4	7.7
0.8	1.7	0.7	4.5	0.4	1.2	1.5	6.3	1.7	4.7
0.9	0.8	0.4	1.5	0.3	0.3	0.6	4.5	0.7	2.1
1.0	0.5	0.3	0.8	0.2	0.2	0.3	2.6	0.4	1.3
1.1	0.3	0.2	0.4	0.1	0.1	0.2	1.7	0.2	0.8
1.2	0.2	0.1	0.2	0.1	*	0.1	1.1	0.1	0.4
1.3	0.1	0.1	0.1	*	*	*	0.6	*	0.1
1.4	0.1	0.1	*	*	*	*	0.5	*	0.1
1.5	*	*	*	*	*	*	0.4	*	*
1.6	*	*	*	*	-	*	0.3	*	*
1.7	*	*	*	*	*	*	0.2	*	*
1.8 & above	*	*	*	*	*	*	0.8	*	*
Average trash	0.39	0.22	0.48	0.24	0.40	0.39	0.55	0.37	0.47

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through March 29, 2007

UNIFORMITY AND TRASH	MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
UNIFORMITY 1/									
72.4 & below	-	-	-	-	-	-	*	-	*
72.5-73.4	-	-	-	*	-	-	*	-	*
73.5-74.4	-	-	-	*	-	-	*	-	*
74.5-75.4	-	*	-	*	-	-	0.1	-	*
75.5-76.4	-	*	-	0.2	-	-	0.3	-	0.1
76.5-77.4	*	0.2	*	0.9	*	*	1.1	*	0.5
77.5-78.4	0.1	1.5	0.2	3.3	0.8	0.1	3.6	*	2.7
78.5-79.4	0.5	7.5	1.5	9.2	5.5	0.6	9.9	0.5	9.0
79.5-80.4	3.0	16.4	6.9	19.4	19.3	3.7	20.9	3.4	19.0
80.5-81.4	14.0	32.3	21.0	28.4	35.0	15.6	30.4	14.6	25.6
81.5-82.4	36.0	26.9	36.6	24.6	28.2	35.6	24.2	37.2	25.5
82.5-83.4	37.3	12.5	27.1	11.4	9.7	33.3	8.3	35.2	14.2
83.5-84.4	8.7	2.4	6.4	2.3	1.4	10.2	1.1	8.5	3.1
84.5-85.4	0.6	0.2	0.4	0.2	0.1	0.9	0.1	0.6	0.3
85.5-86.4	*	*	*	-	*	*	*	*	*
86.5-87.4	-	-	*	-	-	-	-	-	*
87.5-88.4	-	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-
Average uniformity	82.3	81.2	82.0	81.0	81.2	82.3	80.9	82.3	81.2
TRASH 2/									
0.0	-	-	-	*	-	-	*	-	*
0.1	0.1	11.4	*	10.9	0.1	0.4	7.1	*	4.4
0.2	3.5	37.8	2.0	28.8	5.1	7.3	26.0	1.2	16.5
0.3	14.4	27.5	11.7	24.8	20.9	19.9	25.2	9.0	22.5
0.4	22.9	12.0	19.8	13.1	24.2	24.1	16.5	18.5	20.0
0.5	23.2	6.1	23.3	9.0	21.0	20.4	10.5	24.6	15.2
0.6	17.1	2.8	18.0	5.3	13.3	13.5	6.2	20.4	9.8
0.7	10.2	1.2	11.4	3.3	7.4	7.6	3.7	13.2	5.6
0.8	5.2	0.5	6.4	1.8	3.9	3.9	2.1	7.1	3.0
0.9	1.7	0.2	3.1	1.1	1.9	1.4	1.1	3.1	1.3
1.0	0.9	0.1	1.7	0.6	1.0	0.8	0.7	1.4	0.7
1.1	0.4	0.1	1.0	0.4	0.6	0.4	0.4	0.8	0.4
1.2	0.2	*	0.6	0.3	0.3	0.2	0.2	0.4	0.2
1.3	0.1	*	0.3	0.2	0.1	0.1	0.1	0.1	0.1
1.4	*	*	0.2	0.1	0.1	*	0.1	0.1	0.1
1.5	*	*	0.1	0.1	*	*	*	*	*
1.6	*	*	0.1	0.1	*	*	*	*	*
1.7	*	*	*	*	*	*	*	*	*
1.8 & above	*	*	0.2	0.1	*	*	*	*	*
Average trash	0.51	0.28	0.55	0.34	0.48	0.47	0.36	0.56	0.41

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark etc. * Less than 0.05 percent.

Table 22. -- Quality of American Pima cotton classed for producers by State and United States through March 29, 2007

Quality Designation	Leaf	Arizona	California	New Mexico	Texas	United States
01	1	7.5	1.5	*	0.1	1.5
	2	11.7	2.3	0.2	0.3	2.3
	3	*	*	*	-	*
	4	-	-	-	-	-
	5	-	-	-	-	-
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		19.3	3.8	0.3	0.5	3.8
02	1	4.7	2.6	*	1.0	2.4
	2	68.6	65.2	36.7	69.1	64.7
	3	1.6	13.9	40.6	5.0	13.9
	4	-	0.4	0.6	-	0.4
	5	-	*	-	-	*
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		75.0	82.1	77.9	75.1	81.5
03	1	-	*	*	*	*
	2	2.1	4.5	2.5	18.0	5.2
	3	1.3	6.9	14.7	5.2	6.9
	4	0.1	1.2	2.7	*	1.1
	5	*	0.1	*	-	0.1
	6	-	*	-	-	*
	7	-	*	-	-	*
Total -----		3.6	12.7	20.0	23.3	13.4
04	1	-	*	-	-	*
	2	0.8	0.2	*	0.1	0.2
	3	0.4	0.5	0.1	0.1	0.5
	4	0.1	0.3	0.2	0.1	0.3
	5	0.3	0.1	0.3	*	0.1
	6	*	*	-	-	*
	7	-	-	-	-	*
Total -----		1.7	1.2	0.7	0.3	1.1
05	1	-	-	-	-	-
	2	0.1	-	-	-	-
	3	0.1	0.1	*	0.1	0.1
	4	*	0.1	0.1	0.5	0.1
	5	0.1	*	0.7	*	*
	6	*	*	0.1	-	*
	7	*	-	-	-	*
Total -----		0.4	0.2	0.9	0.6	0.3
06	1	-	*	-	-	*
	2	-	*	-	-	*
	3	-	*	-	*	*
	4	-	*	*	0.2	*
	5	-	*	0.2	*	*
	6	-	*	*	-	*
	7	-	-	-	-	-
Total -----		-	*	0.2	0.3	0.1
07	1	-	-	-	-	-
	2	-	*	-	*	*
	3	*	*	*	-	*
	4	-	*	-	*	*
	5	-	*	-	*	*
	6	-	-	-	-	-
	7	-	-	*	-	*
Total -----		*	*	*	*	*
STAPLE						
40 & shorter		-	-	-	-	-
42		-	*	*	0.2	*
44		17.0	1.3	6.4	16.6	2.6
46		39.6	18.8	49.1	59.1	22.4
48 & longer		43.4	79.9	44.4	24.0	75.0
Average		46.6	48.0	46.8	46.2	47.8
UNIFORMITY						
72.4 & below		-	-	-	-	-
72.5-73.4		-	-	-	-	-
73.5-74.4		-	-	-	-	-
74.5-75.4		-	-	-	-	-
75.5-76.4		-	-	-	-	-
76.5-77.4		-	-	-	-	-
77.5-78.4		-	*	-	-	*
78.5-79.4		-	*	*	*	*
79.5-80.4		*	*	0.1	0.1	*
80.5-81.4		0.1	0.3	0.3	0.4	0.3
81.5-82.4		1.0	1.4	2.0	2.0	1.5
82.5-83.4		5.1	5.3	8.7	8.2	5.5
83.5-84.4		19.2	15.5	24.3	23.8	16.3
84.5-85.4		38.7	37.8	35.5	36.8	37.7
85.5-86.4		21.7	30.2	22.5	22.0	29.3
86.5-87.4		11.1	8.3	6.1	6.0	8.1
87.5-88.4		3.0	1.2	0.5	0.8	1.2
88.5-89.4		0.1	*	*	*	*
89.5 & above		*	*	-	-	*
Average		85.2	85.2	84.9	84.9	85.2
BALES CLASSED		13,392	651,922	21,627	41,561	728,502

* Less than 0.05 percent.

Table 22. — Quality of American Pima cotton classed for producers by State and United States through March 29, 2007

Quality Designation	Arizona	California	New Mexico	Texas	United States
MIKE					
24 & below	-	*	-	-	*
25 - 26	-	0.1	*	*	*
27 - 29	0.2	1.0	0.7	0.2	0.9
30 - 32	0.5	3.1	3.7	3.5	3.1
33 - 34	0.9	2.0	6.5	4.9	2.3
35 - 36	5.5	3.6	13.7	10.1	4.3
37 - 42	74.9	73.1	59.5	63.6	72.2
43 - 49	18.0	17.2	15.8	17.8	17.2
50 - 52	-	-	-	-	-
53 & above	-	-	-	-	-
Average	40	40	39	39	40
ALL MIKE					
24 & below	-	*	-	-	*
25	-	*	*	-	*
26	-	*	*	*	*
27	-	0.1	0.1	*	0.1
28	*	0.3	0.2	*	0.3
29	0.1	0.6	0.4	0.1	0.5
30	0.2	0.9	0.9	0.5	0.9
31	0.2	1.1	1.2	1.2	1.1
32	0.1	1.1	1.7	1.8	1.1
33	0.2	1.0	2.4	2.4	1.1
34	0.6	1.0	4.1	2.5	1.1
35	1.8	1.3	5.9	4.0	1.6
36	3.7	2.3	7.8	6.1	2.7
37	4.9	4.5	10.3	9.4	5.0
38	6.6	8.0	11.6	11.4	8.3
39	13.0	12.6	11.3	12.8	12.5
40	15.9	15.9	10.4	12.1	15.5
41	18.5	17.0	8.8	10.2	16.4
42	16.0	15.1	7.2	7.7	14.4
43	10.8	10.3	5.9	6.1	9.9
44	4.9	5.0	4.4	4.5	5.0
45	1.8	1.6	3.1	3.3	1.7
46	0.4	0.3	1.7	2.1	0.4
47	0.1	*	0.6	1.1	0.1
48	*	*	0.1	0.5	*
49	*	*	*	0.2	*
50	-	-	-	-	-
51	-	-	-	-	-
52	-	-	-	-	-
53	-	-	-	-	-
54	-	-	-	-	-
55	-	-	-	-	-
56	-	-	-	-	-
57	-	-	-	-	-
58	-	-	-	-	-
59	-	-	-	-	-
60 & above	-	-	-	-	-
Average	40	40	39	39	40
Strength					
17 & below	-	-	-	-	-
18	-	-	-	-	-
19	-	-	-	-	-
20	-	-	-	-	-
21	-	-	-	-	-
22	-	-	-	-	-
23	-	-	-	-	-
24	-	-	-	-	-
25	-	-	-	-	-
26	-	-	-	-	-
27	-	-	-	-	-
28	-	*	*	*	*
29	-	*	*	-	*
30	*	*	*	*	*
31	-	*	0.2	0.1	*
32	*	0.1	0.4	0.5	0.2
33	0.8	0.4	1.6	1.3	0.5
34	2.9	0.9	3.7	3.0	1.2
35	5.8	1.7	6.9	5.9	2.2
36	6.9	2.7	10.9	10.2	3.5
37	9.4	4.8	14.4	16.1	5.8
38	11.7	8.8	15.4	18.6	9.6
39	15.5	14.3	14.9	16.1	14.4
40	17.0	17.9	12.6	12.7	17.4
41	11.9	18.5	9.2	7.9	17.5
42	7.5	14.5	5.6	4.2	13.5
43	5.3	8.7	2.7	2.0	8.1
44	3.2	4.2	1.1	0.8	3.9
45 & above	2.0	2.4	0.4	0.5	2.2
Average	39.2	40.3	38.3	38.2	40.1
EXTRANEOUS MATTER					
Bark	1.1	0.2	3.5	2.5	0.4
Grass	2.4	0.1	0.3	0.2	0.1
Spindle Twist	1.1	0.1	*	*	0.1
Preparation	*	0.4	*	*	0.4

* Less than 0.05 percent.

1022896942